



PRESCRIPTION DRUG TRAFFICKING & ABUSE TRENDS



November 16-17, 2013
Pharmacy Diversion Awareness Conference (PDAC)
Louisville, KY

Alan G. Santos, Associate Deputy Assistant Administrator, Operations Division, Office of Diversion Control, U.S. Drug Enforcement Administration



Disclosure Information

I have no financial relationships to disclose!!



Rx Trends Outline

- Scope of the Problem
- >The Costs
- > What People are Abusing
- ➤The "CSA" Checks & Balances
- ➤ Where People are Getting Their Drugs (Evolution of Problem & Pill Mills)



OBJECTIVES

1. Identify current trends in pharmaceutical controlled substance abuse.

2. Describe the impact pharmacy diversion has on communities.



PRE-IIEST

- 1. What is the most commonly prescribed controlled substance in the U.S.?
 - a. Oxycodone
 - b. Methylphenidate
 - c. Hydrocodone/APAP
 - d. Alprazolam



PRE-TEST

2. Name four common methods of diversion.



PRE-TEST

- 3. What combination of drugs is referred to as the "trinity"?
- A) Hydrocodone, alprazolam, and carisoprodol
- B) Promethazine with codeine, methylphenidate and carisoprodol
- C) Hydromorphone, carisoprodol and buprenorphine
- D) Methadone, diazepam and tramadol



Prescription Drug Abuse & Trafficking Trends

Responding to America's Prescription Drug Abuse Crisis

"When Two Addictions Collide"



SCOPE OF THE PROBLEM



Mayo Clinic Study on **Prescription Drugs**



- The three most common types of prescriptions are antibiotics, antidepressants, and painkiller opioids
- 70% of Americans are taking at least one prescription drug
- More than 50% are on at least two prescriptions

Source: Mayo Clinic Press Release, 6/19/2013

to be on five or more prescription medications.

The study of is uncovering valuable information

least two prescriptions. (Getty Images)


least one prescription drug, and more than half receive at



Not a New Problem




Landanny is no poré dangerous than many of the preparations sold as southing egyptes; it has the sering grace of the "poison" laiset. (By courtesy of the Committee on Internate and Parcipa Committee.)










HEROIN-HYDROCHLORIDE


The Cheapest Specific for the Relief of Congles

PARTENTANNIKEN OF ELSERTELD COMPANY




















Oxycodone/APAP



"Ts and Blues"






"Fours and Doors"



OxyContin





In 2010, approximately 38,329 unintentional drug overdose deaths occurred in the United States, one death every 14 minutes.


Of this number, 22,134 of these deaths were attributed to Prescription Drugs (16,651 attributed to opioid overdoses/ 75.2 %).

Prescription drug abuse is the fastest growing drug problem in the United States.

Source: CDC Drug Overdose Deaths in the United States, 2010 (October 2012)




by Major Drug Type, 1999-2010



Case 317:ext01362 Degument 1.49-6 Flict 10/30/20 Rage 17 or 50 Page19ct 59082



U.S. Rates of Opioid Overdose Deaths, Sales, and Treatment Admissions, 1999-2010



Source: National Vital Statistics System (NVSS), DEA's Automation of Reports and Consolidated Orders System, SAMHSA's Treatment Episode Data Set



Today's Perfect Storm

- Industry is producing a wider variety of controlled substance pharmaceuticals
- Use of Medicare / Medicaid or insurance to fund drug habits

• The Information / Electronic era (i.e., web sites such as Erowid & Bluelight, social networking, blogging, twitter, text messaging, & chat rooms for instant exchanges of information)



2010 Current Users (Past Month) 2011

ANY ILLICIT DRUG: 22.6 million

MARIJUANA: 17.4 million

PSYCHOTHERAPEUTIC DRUGS: 7 million

COCAINE: 1.5 million

Methamphetamine 353,000

Heroin: 239,000

ANY ILLICIT DRUG: 22.5 million

MARIJUANA: 18.1 million

PSYCHOTHERAPEUTIC DRUGS: 6.1 million

COCAINE: 1.4 million

Methamphetamine 439,000

Heroin: 281,000

Source: 2010 & 2011NSDUH




Prescription Drug Abuse

More Americans abuse prescription drugs than the number of:

Cocaine, Hallucinogen, Methamphetamine & Heroin abusers



Scope and Extent of Problem: Past Month Illicit Drug Use Among Persons Aged 12 or Older




Source: 2004, 2007, 2008, 2009, 2010, 2011, 2012 National Survey on Drug Use and Health



Past Year Initiates 2012 – Ages 12 and Older

Figure 7.2 Specific Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 12 or Older: 2012




SOURCE: 2012 National Survey on Drug Use and Health (NSDUH) published September 2013 by the Dept of HHS/ Substance Abuse and Mental Health Services Administration (SAMHSA)



National Abuse Facts

- In 2012, there were 2.4 million persons aged 12 or older who used psychotherapeutics non-medically for the first time within the past year, approximately <u>6,700</u> new initiates per day.*
- One in four teens (24%) reports having misused a prescription drug at least once in their lifetime (up from 18% in 2008 to 24% in 2012), which translates to about 5 million teens. That is a 33% increase over a five-year period.




SOURCE: * 2012 National Survey on Drug Use and Health (NSDUH) published September 2013 by the Dept of HHS/ Substance Abuse and Mental Health Services Administration (SAMHSA)

** The Partnership at Drugfree.org / MetLife Foundation Partnership Attitude Tracking Studies 2012, published April 2013



Parents & Their Attitudes


Parents are not discussing the risks of abusing prescription drugs






Parents & Their Actions

Parents and their abuse of prescription drugs



DEA

Where do kids get their information from?





Case 3:17-6-01362 (biosiment 1948-5) Piled 10/60/20 (Page 27 of 50 Page) Det 30/42

Popularizing Controlled Substances Abuse



A PORTION OF THE PROCEEDS FROM THE SALES OF THIS COLLECTION WILL BE DONATED TO THE MEDICINE ABUSE PROJECT.

SHUP BRIAN LICHTENBERG

U.S. Drug Enforcement Administration / Operations Division / Office of Diversion Control

Source: www.foxnews.com, August 29, 2013

Case C1.7-ev401/S62 Decument 1.49-6 Piles 10/S020 Rane 25 of 50 PagetDer 59945

Westchase teachers learn a lesson: Say 'no' to mints in pill bottles



One of the mint-filled pill bottles distributed to some fourth graders at Westchase Elementary.

By JOSEPATINO GIRONA | The Tampa Tribune

Published February 8 2010

What two fourth-grade teachers at Westchase Elementary School apparently thought was a creative way to calm students about to take the FCAT made at least one caregiver fear the teachers were sending a different message – that taking drugs while under stress is OK.

Sandy Young walked into her grandson's fourth-grade classroom last Thursday and saw pill bottles on each students' desk. Her mind raced with questions and thoughts of disbelief.

Young said she immediately questioned Westchase Elementary fourth-grade teacher Beth Watson about the pill bottles, which were filled with pieces of small mint candy. "She said if was nothing but some mints, it was just something special for the kids, for the FCAT to mellow them out," Young said

Young said she was shocked and speechless and walked out of the room when Watson started the students on a math assignment.

Young said the pill bottles go against the lessons of teaching children to say no to drugs

"We turn around and we have our teachers giving them drugs," said Young, 60, of Tampa, "I don't care if it's mints or not. ... If it's in a prescription bottle, it's a drug,"

Young said the bottle reads in part. "Watson's Whiz Kid Pharmacy. Take 1 tablet by mouth EVERY 5 MINUTES to cure FCAT jitters. Repeated use may cause craft to spontaneously ooze from pores. No refills. Ms. (Deborah) Falcon's authorization required."

The school received one complaint since pill bottles were distributed on Thursday, said Linda Cobbe, a school district spokeswoman. It's believed only two fourth-grade teachers at the school distributed the pill bottles.

The principal met with the students on Monday to confirm the pill bottles contained mints that were safe to eat. The students were asked to dump the mints in a separate container and the pill bottles were thrown away. Cobbe said

She said the bottle idea was fied to the children's book the students recently read, "George's Marvelous Medicine," about a boy who concocts potions to try to change the disposition of his cranky grandmother.

The teachers were just trying to use a creative way to get across to the students not to be stressed with the FCAT writing examination that will be administered to fourth, eighth- and 10th-graders beginning today. Cobbe said

"Elementary teachers do creative things to make learning fun." Cobbe said

The teachers won't be disciplined, and it wasn't their intention to promote drug use. Cobbe said

"I know that is not the intent of the teachers." Cobbe said. "That is not the outcome they would wish for."

Young said her grandson has been at Westchase Elementary for a year, and she hasn't had any complaints. But this experience has soured her

It concerns her that now someone might hand her grandson a pill bottle with drugs and he might think it's OK to consume its contents

"We as parents and grandparents have to drill it into them that this is unacceptable and hope and pray that they don't accept drugs from someone else." Young said



Home

News

Travel

Money

Sports

Life

Tech

Sports

Fautasy

WLE

NFL NBA

NH III.

Coll. Football

Coll. Basketiall

Preps NASCAR

Share

Wrestler Benoit's doctor gets 10 years in prison

Updated 5/12/2009 2:34 PM t Comment

i Flesommend

E-mail | Print |

Add to Mex

Facebook.

Tweather

my Yanoo

(Goodle

More:

Mare Subscribe



Entarge

WWE VILAP

Wester Chis Bendit stangled hawite and 7-yearold son, then hung himself in a Jame 2007 moderside. Bendit's personal doctor Phil Astin was sentenced to 10 years in phon on Tuestay for illegally distributing prescription duranto patients. NEWNAN, Ga. (AP) — The personal doctor to a professional wrestler who killed himself, his wife and their 7-year-old son was sentenced to 10 years in prison Tuesday for illegally distributing prescription drugs to patients.

Dr. Phil Astin, 54, had pleaded guilty Jan. 29 to a 175-count federal indictment.

Prosecutors said Astin prescribed painkillers and other drugs to known addicts for years. They said at least two of Astin's patients died because of his lax oversight of what medicines they were taking. However, the indictment was unclear about whether Chris Benoit, a wrestler for Stamford, Conn.

based World Wrestling Entertainment, was one of the two.

"I take full responsibility," Astin told the judge Tuesday. "I am sorry I hurt so many lives. I was thinking that I was looking after my patients."

U.S. District Judge Jack Camp said there was no doubt Astin tried to help hundreds of patients at his western Georgia clinic. But the judge said he could not overlook Astin's misconduct.

"The fact that two people did die outweighs other conditions

that I must consider," Camp said.

A federal investigation found Astin wrote prescriptions without conducting physical exams and sometimes gave patients as many as four simultaneous prescriptions for Percocet. He also prescribed "cocktails" of drugs like Percocet, Oxycontin, Vicodin and Adderall.

"Medical doctors know that after a period of time, if the prescriptions are not working, you get them off," Assistant U.S. Attorney John Hom said during the hearing.

Investigators cited one case in which an unidentified female patient began receiving a combination of drugs that included Xanax from Astin in 2002. She died in June 2007, the same month authorities found Benoit and his family dead in their suburban Atlanta home.



Rush Limbaugh Arrested On Drug Charges

Rush Limbaugh and prosecutors in the long-running prescription fraud case against him have reached a deal calling for the only charge against the conservative commentator to be dropped without a guilty plea if he continues trea

Limbaugh turned himself in to authorities on a warrant filed Friday charging him vi Barbera, a spokeswoman for the Palm Beach County Jail. He and his attorney Ro and fingerprinted and he posted \$3,000 bail, Barbera said

Prosecutors' three-year investigation of Limbaugh began after he publicly acknow rehabilitation program. They accused Limbaugh of "doctor shopping," or illegally learning that he received about 2,000 painkillers, prescribed by four doctors in six

Limbaugh, who pleaded not guilty Friday, has steadfastly denied doctor shopping complies with court quidelines.

Coheed and Cambria Bassist Arrested Before Gig

Originally posted Jul 10th 2011 5:18 PM PDT by TMZ Staff

Michael Todd, the bassist for the band Coheed and Cambria, was arrested for armed robbery after he allegedly held up a Walgreens by claiming he had a bornb ... and this all went down right before they played a show!

Michael Baze accidentally overdosed

LOUISVILLE, Ky. -- Jockey Michael Baze, who won more than 900 horse races in a nine-year career, died from an accidental overflose of cocaine and prescription pain medicine at Churchill Downs, the coroner's office said Friday.

The 24-year-old Baze was pronounced dead on May 10. His body was found in his vehicle near the stables at the famed Louisville track.

Jefferson County Deputy Cormer Jim Wesley said the cause of death was multiple substance intersication. Significant amounts of creatine and the pain medication oxymorphone were found in Base's system, said Wesley, citing toxicology results.

Base was facing a drog possession charge at the time of his death. The week he died, he was scheduled to appear at a preliminary lacating on a charge of first-degree personsion of coming. He also wi

Baze was arrested last Novembel to the arrest warrant.

His mother. Teri Gibson, said the

"I honestly thought he was not d

Base was remembered for his ki-

Churchill Desvos spokesman Joh who rode only briefly at Church

Hall of Fame idea Mike Smith:

Rangers' Boogaard died of alcohol. oxycodone mix

Updated 5/20/2011 11:09 PM (

MINNEAPOLIS (AP) - The death of New York Rangers enforcer Derek Boogsard was an accident, due to a toxic mix of alcohol and the powerful painkiller oxycodone.

The Hennepin County Medical Examiner announced Boodaard's cause of death Friday, saving it was unclear exactly when the 28-year-old died. Boogaard was found dead in his Minneapolis apartment last

his passion for the game, his teammates, and his community work was unstoppable."

Experts say mixing alcohol and medicines can cause dangerous reactions. Drinking alcohol while taking strong painkillers like oxycodone can result in breathing problems and increase the risk of an overdose. according to the National Institute on Alcohol Abuse and Alcoholism.

The family thanked the Rangers, Minnesota Wild, the NHL and the NHLPA for "supporting Derek's continued efforts in his battle."

"Regardless of the cause, Derek's passing is a tragedy," NHL spokesman Frank Brown said in an email. The Rangers and Wild had no comment.

Boogaard's agent, Ron Salcer, said it has

8

ths after he sustained a concussic May 06, 2012

Thomas Kinkade cause of death: alcohol. Valium

Recommend 71 By Ann Oldenburg, USA An autopsy has concluded Underlad 2012-05-08 7:18

that Thomas Kinkade's death was caused by an accidental overdose.

reported late Monday that the Santa Clara County is complete and reveals that

NBC Bay Area News medical examiner's autopsy

Kinkade died April 6 at his California home from a combination of alcohol and prescription drugs. He was 54.

Jack Camp, Senior Federal Judge, Arrested On Drug, **Gun Charges**

ATLANTA — A veteran federal judge faces drug and firearms charges after an exotic dancer at an Atlanta strip club told authorities he used cocame, marijuana and other illegal drugs with her

Senior U.S. District Judge Jack T. Camp was arrested Friday minutes after he handed an undercover law enforcement agent \$160 for cocaine and Roxycodone, a narcotic pain medication, that he intended to use with the exotic dancer, authorities said in a court document released Monday. They said they also found two firearms in the front seat of his vehicle.

Camp, 67, who has presided over some high-profile cases, was released Monday on a \$50,000 bond. His attorney, William Morrison, said after a brief hearing that the judge intends to plead not guilty. Morrison said Camp would probably take a leave of absence and would not preside over any more cases until the charges are resolved.

29

Caracida 7-evaldidez Derenment 49 a Filosofitio/20 Brago & rol 50 Bragoliber 8984





Russell Jones, aka Ol' Dirty Bastard November 13, 2004



Kenneth Moore, aka Big Moe October 14, 2007



Brittany Murphy December 20, 2009



Anna Nicole Smith February 8, 2007




Heath Ledger January 22, 2008

DEATHS




Leslie Carter January 31, 2012



Ken Caminiti October 10, 2004



Whitney Houston February 11, 2012



Derek Boogaard May 13, 2011

30



Noelle Bush




Billy Mays, the late pitchman

Autopsy: Cocaine had role in his death


millsborough County spokeswoman Lori Hudson said nothing in the toxicology report indicated the frequency of Mays' cocaine use. Cocaine can raise arterial blood pressure, directity cause thickening of the left wall of the ventricle and accierate the formation of athero-

sclerosis in the coronary arter-



Francisco (

The toxicology tests also showed therapeutic amounts of painkillers hydrocodone, oxycodone and tramadol, and antianxiety drugs alprazolam and diazepam. Mays had suffered hip problems and was scheduled for hip-replacement surgery the day after he was found dead.



condo lune 28.

Mays, 50, was a pop-culture fixture with his energetic commercials pitching gadgets and cleaning products like Orange Glo and OxiClean.

Heart disease was the primary cause of death, and a report released Friday by the medical examiner listed cocaine as a "contributory cause of death." The office said Mays last used cocaine in the few days before his death but was not under the influence

Terrence Kiel



Corey Haim





Economic Costs

- \$55.7 billion in costs for <u>prescription drug abuse</u> in 2007¹
 - > \$24.7 billion in direct healthcare costs
- Opioid abusers generate, on average, annual direct health care costs 8.7 times higher than non-abusers²

CONFIDENTIAL CAH_MDL2804_03194504

^{1.} Birnbaum HG, White, AG, Schiller M, Waldman T, et al. Societal Costs of Prescription Opioid Abuse, Dependence, and Misuse in the United States. *Pain Medicine* 2011;12:657-667.

White AG, Birnbaum, HG, Mareva MN, et al. Direct Costs of Opioid Abuse in an Insured Population in the United States. J. Manag Care Pharm. 11(6):469-479.



Casse & 15-ray/61.662 | Creminism 16.49-8 | Eller 10/6/6/20 | Page 35 of 50 Page/0 Ar 35956

Addicted Infants Triple in a Decade



Prescription abuse

Addicted infants triple in a decade

3.4 out of 1,000 suffer painkiller withdrawal

By Liz Szabo USA TODAY

The number of babies born addicted to the class of drugs that includes prescription painkillers has nearly tripled in the past decade, according to the first national study of its kind.

About 3.4 of every 1,000 infants born in a hospital in 2009 suffered from a type of drug withdrawal commonly seen in the babies of pregnant women who abuse narcotic pain medications, the study says, it's published today in The Journal of the American Medical Association.

Born into addiction

Babies exposed to drugs in the womb have more health problems than other newborns.



Drug-exposed
Other

Breathing problems



Low birthweight!



Feeding problems



Seizures



1 – under 5' pounds

Source: Journal of the American Medical Associasion

By Frank Pompa, USA TODAY

USA Today: May 1, 2012



Economic Costs

- Maternal opioid dependence can affect birth costs
- A recent study showed in 2009, the average hospital stay for opioid exposed infants with neonatal abstinence syndrome (NAS) was 16 days¹
- The hospitalization cost of treating each baby with NAS averaged \$53,400²
- State Medicaid programs paid for 77.6% of these births³

Patrick SW, Schumacher RE, Benneyworth BD, Krans EE, McAllister JM, Davis MM. Neonatal abstinence syndrome and associated health care expenditures: United States, 2000-2009. JAMA. 2012 May 9;307(18):1934-40. Epub 2012 Apr 30

Ibid.

^{3.} Ibid.



National Poison Data System (Formerly known as Toxic Exposure Surveillance System) – Total Annual Mentions of Toxic Exposures

	Hydrocodone	Oxycodone
2001	15,191	9,480
2002	17,429	10,515
2003	19,578	11,254
2004	22,654	12,603
2005	22,229	13,191
2006	22319	13,473
2007	24,558	15,069
2008	26,306	17,256
2009	27,753	18,396
2010	28,310	19,363
2011	30,792	19,423




Emergency Room Visits (2004-2010)

- pharmaceuticals (i.e., with no other type of drug or alcohol) (626,472 to 1,345,645)
 - No Significant Change: ER visits attributable to cocaine, heroin, marijuana, or methamphetamine

SOURCE: The DAWN Report, *Highlights of the 2010 Drug Abuse Warning Network (DAWN) Findings on Drug-Related Emergency Department Visits*, July 2, 2012



U.S. Motor Vehicle Traffic, Poisoning, and Drug Poisoning (Overdose) Death Rates, 1980-2010




Source: CDC National Center for Health Statistics (NCHS) Data Brief, December 2011, updated with 2009 and 2010 mortality data

U.S. Drug Enforcement Administration / Operations Division / Office of Diversion Control



Drug-Induced Deaths vs. Other Injury Deaths (1999–2009)



Causes of death attributable to drugs include accidental or intentional poisonings by drugs and deaths from medical conditions resulting from chronic drug use. Drug-induced causes exclude accidents, homicides, and other causes indirectly related to drug use. Not all injury cause categories are mutually exclusive.


Source: National Center for Health Statistics, Centers for Disease Control and Prevention. National Vital Statistics Reports *Deaths: Final Data* for the years 1999 to 2009 (January 2012).



Casso 3:17 nove 01:362 | Biominican 1.129 6 | Filad 1.0/30/20 | Regio 41 no 50 Pages D. H. 39956

Public Health Impact of Opiate Analgesic Abuse

For every 1 unintentional opioid overdose death in 2010, there were...



Mortality figure is for unintentional overdose deaths due to opioid analgesics in 2010, from CDC/Wonder Treatment admissions are for with a primary cause of synthetic opioid abuse in from TEDS Emergency department (ED) visits related to opioid analgesics in from DAWN Abuse/dependence and nonmedical use of pain relievers in the past month are from the National Survey on Drug Use and Health


Casse 8 17-rov-01.362 (Digesiment): L2546 (Files 10/C0/20 Page 42 of 50 Page)D # 39857






CONFIDENTIAL CAH_MDL2804_03194512





A Pain-Drug Champion Has Second Thoughts



By Thomas Catal

It has been hisell Portenoy apporthoughts.

Two decades
York pain-cage s
ment to help peo
campaigned to
painkillers decrive
that were long si
cause of their ac-

Dr. Portency's cessful. Today, d like Vicodin, Oxy among the most visitely preserved prior

maceuticals in America.

Opioids are also behind the country's deadliest drug epidemic. More than

Now, Dr. Portenoy and other pain doctors who promoted the drugs say they erred by overstating the drugs' benefits and glossing over risks. "Did I teach about pain management, specifically about opioid therapy, in a way that reflects misinformation? Well, against the standards of 2012, I guess I did," Dr. Portenoy said in an interview with the Wall Street Journal. "We didn't know then what we know now."

uniusia, and questions whether openits are effective against long-term chronic pain.


The change of heart among former champions of opioid use has happened

ie notice of many chiatrist Joseph hocked" after atoutlining the latisk.

of everything . "You saw other it and saying, 'Oh ing?"

d they were danpioids were long cer patients. But it they could be months or years in chronic pain.

Among the assertions he and his followers made in the 1990s: Less than 1% of opioid users became addicted, the drugs Please turn to page A12





onse to travelled beamen Commonly Abused Commonled

Carisoprodol





C-IV as of 1/11/2012

Pharmaceuticals










Oxycodone 30 mg



Hydrocodone



Alprazolam




HYDROCODONE



Hydrocodone


➤ Similarities:

- Structurally related to codeine
- Equal to morphine in producing opiate-like effects
- ➤Brand Names: Vicodin[®], Lortab[®], Lorcet[®]
- ➤Street prices: \$2 to \$10+ per tablet depending on strength & region






Top Five Prescription Drugs Sold in the U.S. (2006-2011)





Total U.S. Retail* Distribution of Selected Drugs January 1, 2008 – December 31, 2011




*Retail includes pharmacies, hospitals, practitioners, mid-level practitioners, teaching institutions, and narcotic treatment programs.

Drug Enforcement Administration
Office of Diversion Control
Office of the Deputy Assistant Administrator

Source ARCOS Date Prepared 08/28/2012



Case 3.17-cv-0.1362 Defaure in 11.48-5 Ameri 10/30/20 Page 50 of 50 Page 10 #: 39965




Oplate

Carisoprodol



C-IV as of 1/11/2012

Muscle Relaxant



Benzodiazepine